


SCHEMATIC DIAGRAM: CRT

SHARP SERVICE MANUAL

S84Z714MF10//



COLOR TELEVISION
SIGMA 9900 CHASSIS
Chassis No. SN-40

MODEL 14MF10


In the interests of user-safety (Required by safety regulations in some countries) the set should be restored to its original condition and only parts identical to those specified should be used.

CONTENTS

	Page
• IMPORTANT SERVICE SAFETY PRECAUTION	2
• ELECTRICAL SPECIFICATIONS	3
• LOCATION OF USER'S CONTROL	4
• INSTALLATION AND SERVICE INSTRUCTIONS	5
• CHASSIS LAYOUT	11
• BLOCK DIAGRAM	12
• PRINTED WIRING BOARD ASSEMBLIES	15
• SCHEMATIC DIAGRAM	17
• REPLACEMENT PARTS LIST	20
• PACKING OF THE SET	28

SCHEMATIC DIAGRAM: CRT

NOTE: ALL DIODES ARE "155119" OR "0X00450E" UNLESS OTHERWISE SPECIFIED.



REPLACE WITH A PICTURE TUBE OF THE SAME TYPE NUMBER FOR CONTINUED SAFETY.

22.5KV IAT 900MAJ

NOTE

COMPONENT	QTY	QTY
A3A4LH80X	1	
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE
A3A4LH80X	1	1001#PE

NOTE: ALL DIODES ARE "1SS119" OR "DX0045GE" UNLESS OTHERWISE SPECIFIED.
 : ALL TRANSISTORS ARE "2SC945A(Q)" OR "2SC1815(Y)" UNLESS OTHERWISE SPECIFIED.

